SERVING CENTRAL INDIANA SINCE 1996

YOUR NEIGHBORHOOD ROOFING EXPERTS

A homeowner's guide to your new roof: our process, your shingle options, warranties, insurance help and financing.



ABOUT US

A family business your neighbors already know

Robert Stevens Roofing is a family-owned roofing, siding and gutter contractor based in Carmel. For 30 years we've installed and repaired roofs on homes and businesses across the Indianapolis area. Most of our work comes from referrals.

30
years in business

4.9
Google rating

$0
down, free quotes



WHY CHOOSE US

How we treat every customer

Expertise

30 years of roofs, gutters and siding. We diagnose the real problem and do it right the first time.

Honest advice

We don't recommend replacing every roof we inspect. You get the truth, with photos to back it up.

Clear pricing

An itemized list of all work and materials before the job starts. No surprises.

Personal service

As a small business, we treat your home like our own and stay in touch from start to finish.

Proven record

Neighbors, friends and insurance agents have referred us for decades.

No pressure.
Free inspections.
Real photos.

LICENSED AND CERTIFIED

Credentials that protect you

CertainTeed ShingleMaster

Trained and certified by CertainTeed to install their roof systems.

HAAG Certified Inspector

Trained to spot and document hail and wind damage the way adjusters do.

BBB Accredited

Accredited by the Better Business Bureau.

NRCA Member

Member of the National Roofing Contractors Association.

Licensed contractor

City of Indianapolis General Contractor License #130048.

Xactimate estimating

The same estimating software insurance companies use.

OUR PROCESS

What to expect, start to finish

1

Free inspection

We check your roof, gutters and attic and take detailed photos you can see for yourself.

2

Honest advice

Repair or replace? We tell you what we'd do if it were our home.

3

Itemized quote

Every material and step listed. If it's a storm claim, we work with your adjuster.

4

Installation

Full tear-off, deck inspection and a complete roof system, installed by our crew.

5

Follow-through

Cleanup, a final review with you, and your warranty paperwork.



ON THE JOB

Every layer done right, from the deck up

THE ROOF SYSTEM

A roof is more than shingles

1 Ice & water barrier

Self-sealing protection at eaves and valleys, where ice dams and wind-driven rain cause leaks.

2 Synthetic underlayment

A second layer of defense covering the whole roof deck.

3 Starter strip

Seals the first row of shingles at the edges, where wind lifts them first.

4 Shingles

Good, better and best options to fit your home and budget.

5 Ventilation

Intake and ridge vents keep the attic cooler in summer and drier in winter, so the roof lasts longer.

6 Hip & ridge caps

Finished caps along the peaks for protection and a clean look.

QUALITY INSTALLATION

What every RSR roof includes

- Full tear-off and roof deck inspection
- Premium synthetic underlayment
- New wall, chimney and pipe boot flashing
- Nail-installed shingles; hand nailing available
- Optional soffit ventilation, gutters and insulation
- Ice & water shield on all eaves and valleys
- Metal drip edge on all eave and rake edges
- New ridge vent or box vent system
- Manufacturer accreditations included



SHINGLE OPTIONS · CERTAINTEED

Our recommended shingle lineup

Shingle	Impact rating	Algae warranty	A good fit if you want
Landmark	Class 3	25 years	A proven, classic look at a great value
Landmark PRO	Class 3	30 years	Richer, high-definition color blends
Landmark ClimateFlex	Class 4	25 years	Top hail protection in traditional colors
NorthGate ClimateFlex	Class 4	30 years	Top hail protection and richer colors

Every option includes: CertainTeed's lifetime limited, transferable warranty · 10 years of SureStart protection · 15-year 110 mph wind warranty, with a higher wind upgrade when installed with CertainTeed starter and hip & ridge.

BUILT FOR INDIANA WEATHER

Class 4 is the highest impact rating a shingle can earn.

Stands up to hail

Tested and rated under the UL 2218 impact standard.

Handles cold snaps

ClimateFlex stays flexible in freezing weather and holds its granules.

May lower premiums

Some insurers discount Class 4 roofs. Ask your agent.

SHINGLE OPTIONS · MALARKEY

Another great option: Malarkey

Shingle	Impact rating	Non-prorated period	Algae warranty
Highlander AR	Class 3	10 years	15 years
Vista AR	Class 4	15 years	25 years
Legacy Scotchgard	Class 4	20 years	Limited lifetime

Rubberized asphalt

Added rubber polymers make the shingle tougher and slower to age.

Strong wind warranty

Limited lifetime shingle warranty; 110 mph wind, 130 mph enhanced.

Recycled content

Each roof reuses about 5 tires and 3,200 plastic bags.

RSR Warranty details: malarkeyroofing.com/warranties · see actual warranty for limitations

THE DETAILS THAT MATTER

Stopping leaks where they start

Pipe flashing

The rubber boots around plumbing vents crack in the sun, often years before the shingles wear out. Water then runs inside walls and shows up later as ceiling stains.

That kind of slow leak is often treated as maintenance, so homeowners insurance usually won't cover it.

Ask about silicone pipe flashing that holds up to UV for the life of the roof.

Ice dams and valleys

In an Indiana winter, melting snow refreezes at the roof edge and backs water up under the shingles.

We install a self-sealing ice & water barrier along every eave and valley. It seals around each nail, so water has nowhere to go.

Included on every RSR roof.

GUTTERS & GUTTER GUARDS

Keep water moving away from your home

New gutters come with a 2-year workmanship warranty. LeafBlaster PRO guards are backed by a 40-year warranty.



GOOD VALUE

All-Aluminum

Blocks leaves, twigs and pests. White, black or mill finish.

BEST FILTRATION

Stainless Micro-Mesh

Stops pine needles and shingle grit. Won't rust, crack or warp.

TOUGHEST

Frame-Reinforced

Micro-mesh on a heavy aluminum frame for big trees and storm debris.

SUPERIOR WARRANTY

Protection that outlasts the job

10yr

Roof workmanship

Our installation is covered by RSR for 10 years.

2yr

Gutter workmanship

Every gutter installation is covered by RSR for 2 years.

Lifetime

Shingle warranty

Manufacturer's limited lifetime warranty on all shingles.

40yr

Gutter guards

LeafBlaster PRO guards carry a 40-year warranty.

Manufacturer warranties have their own terms and limitations. Ask us for the full documents.

STORM DAMAGE

We help you through the insurance claim

1 Document the damage

A HAAG Certified Inspector photographs hail and wind damage the way adjusters look for it.

2 Meet your adjuster

We meet the adjuster in person at your home so nothing gets missed.

3 Speak their language

Estimates built in Xactimate, the software insurance companies use.

4 Push for a complete settlement

We advocate for everything the storm damaged, then get to work.



PAYING FOR YOUR PROJECT

Flexible ways to pay

$0

No down payments

Free inspections and quotes, with no money down.

Home equity line of credit

Borrow against your home's equity through First Financial Bank.

Personal loan

First Financial's Quick Loan: $2,000 to $50,000, no collateral needed.



RSR Loans offered by First Financial Bank, subject to credit approval. Apply at bankatfirst.com.

NEXT STEP

Schedule your free, no-pressure inspection

317-722-1844

rdstevensroofing.com

info@rdstevensroofing.com

13295 Illinois St, Suite 206, Carmel, IN 46032

ROBERT STEVENS
ROOFING
317.722.1844
RDSTEVENSROOFING.COM

APPENDIX

Product literature

Manufacturer brochures and spec sheets for the products in this guide.

CertainTeed

- Integrity Roof System
- Landmark Series
- Landmark ClimateFlex
- NorthGate ClimateFlex
- Top 5 Reasons

Malarkey


- Shingle Fact Sheet
- Highlander AR
- Vista AR
- Legacy Scotchgard
- Arctic Seal


Accessories

- The Ultimate Pipe Flashing
- LeafBlaster PRO gutter guards


PRODUCT LITERATURE · CERTAINTEED

Integrity Roof System





Landmark Series






Product Comparison

	Traditional Designer Shingle Style	Industry Leading Granule Adhesion	Warranty Duration	Algae Warranty Coverage	Product Weight	Depth/ Dimensional Appearance
Landmark	✓	✓	Lifetime	25-Year	✓	✓
Landmark Solaris®	✓	✓	Lifetime	25-Year	✓	✓
Landmark ClimateFlex®	✓	✓	Lifetime	25-Year	✓	✓
Landmark PRO	✓	✓	Lifetime	30-Year	✓✓	✓✓
NorthGate ClimateFlex®	✓	✓	Lifetime	30-Year	✓✓	✓✓

PRODUCT LITERATURE · CERTAINTEED


Landmark ClimateFlex





PRODUCT LITERATURE · CERTAINTEED

NorthGate ClimateFlex



Trust your home to NorthGate® ClimateFlex®

NorthGate® ClimateFlex® is designed specifically for the professional roofing contractor that takes pride in providing more to their customer.

NorthGate® ClimateFlex® and Landmark® ClimateFlex® give your home long-lasting curb appeal and protection from the elements.

We started by adding more weathering asphalt to the industry's toughest fiberglass mat to provide more protection. Then we incorporated our Maximum Definition color blend technology to give **NorthGate® ClimateFlex®** roofing shingles more vibrancy on the roof. **Landmark® ClimateFlex®** offers a more traditional palette, with the same protection.

Included is the proven performance of our **NailTrak®** feature, enabling faster installation.

NORTHGATE ClimateFlex STANDARD WARRANTY

- Lifetime Limited Warranty
- 10-years of SureStart™ protection
- 15-year 110 MPH wind warranty (Upgrade to 160 MPH available. CertainTeed starter and CertainTeed hip and ridge required.)
- 30-year StreakFighter® algae resistance warranty

Add it all up and what you get is the opportunity to offer a lot of additional value for the money... and today that means more than ever.

NorthGate® ClimateFlex®



NorthGate® ClimateFlex® specifications:

- Premium Max Def color palette
- NailTrak® for faster installation
- Lifetime limited warranty
- 30-year StreakFighter® algae resistance
- 10-year SureStart protection includes:
  - Materials, labor, tear off and disposal cost
- 15-year 110 MPH wind warranty with upgrade to 160 MPH available
- **UL 2218 Class 4 Impact Rated**

Landmark® ClimateFlex®



Landmark® ClimateFlex® specifications:

- Traditional color palette
- NailTrak® for faster installation
- Lifetime limited warranty
- 25-year StreakFighter® algae resistance
- 10-year SureStart protection includes:
  - Materials and labor costs
- 15-year 110 MPH wind warranty with upgrade to 160 MPH available
- **UL 2218 Class 4 Impact Rated**

Top 5 Reasons to Choose CertainTeed

certainteed
SAINT-GOBAIN

Residential Roofing

Top 5 Reasons

why professional roofing contractors are confident in the performance of CertainTeed products.



1 Top Quality

From the factory to the roof, we ensure consistent quality in every shingle, including long-term performance and strong granule adhesion. Our shingles go on easy and stay on strong, so you don't have to worry about shiners, delamination, or call backs.

2 No-Hassle Warranties

We stand behind every single shingle, providing coverage for manufacturing defects — even if the roof isn't leaking.*

*For specific warranty details, please visit **certainteed.com/warranty**



3 Innovative Technology

Our products feature industry-leading innovation and science-backed engineering, down to the molecular level:

- **Nail***Trak*® – fast, accurate, visible nail lines
- **Quadra***Bond*® – advanced layering protects against delamination
- **Climate***Flex*® – all-weather application
- **Certa***Seal*® – seals shingles together upon installation
- **Streak***Fighter*® – resists algae growth
- **Solaris**® *Cool Roof*– advanced solar reflectivity

See table on back for technology availability by product.

Underwriters Laboratories

4 Third-Party Verification

Underwriters Laboratory independently verifies that our fiberglass products meet the quality standards of ASTM D3462 (tear strength, nail pull resistance, and wind uplift). Underwriters Laboratory also verifies that our products meet 150 mph ASTM D7158 Class H wind test.



5 Beautiful Portfolio

Available in a wide variety of colors and design styles, our roofing products will easily match the exact vision desired, providing a bright, vibrant, and dramatic visual.

SAINT-GOBAIN

Enhanced Lifetime Limited Warranty

Not all items are available in all regions. Please consult your Territory Manager for regional availability.

The below table is for quick reference only; refer to actual warranty documentation for complete details and specifications.

Product	Warranty Duration	SureStart™ Period	Wind Warranty (Years/MPH)	Streak*Fighter*® Warranty[1]	Solaris®	Climate*Flex*®	Impact Resistance (Class)	NailTrak® & QuadraBond®	CertaSeal®
Belmont®	Lifetime*	10 yr	15/110***	30 yr			Class 3		✔
Belmont® IR	Lifetime*	10 yr	15/110***	30 yr			Class 4		✔
Carriage House®	Lifetime*	10 yr	15/110***	30 yr			Class 4		✔
Grand Manor®	Lifetime*	10 yr	15/110***	30 yr			Class 4		✔
Highland Slate®	Lifetime*	10 yr	15/110***	25 yr					✔
Landmark®	Lifetime*	10 yr	15/110***	25 yr				✔	✔
Landmark® Climate*Flex*®	Lifetime*	10 yr	15/110***	25 yr		✔	Class 4	✔	✔
Landmark® Premium	Lifetime*	10 yr	15/110***	30 yr				✔	✔
Landmark® PRO	Lifetime*	10 yr	15/110***	30 yr			Class 3	✔	✔
Landmark® PRO Solaris®	Lifetime*	10 yr	15/110***	30 yr	✔		Class 3	✔	✔
Landmark® Solaris®	Lifetime*	10 yr	15/110***	25 yr	✔			✔	✔
Landmark® TL	Lifetime*	10 yr	15/110***	30 yr					✔
Landmark® TL Solaris®	Lifetime*	10 yr	15/110***	30 yr	✔				✔
NorthGate® Climate*Flex*®	Lifetime*	10 yr	15/110***	30 yr		✔	Class 4	✔	✔
Presidential Shake®	Lifetime*	10 yr	15/110***	30 yr					✔
Presidential Shake® IR	Lifetime*	10 yr	15/110***	30 yr			Class 4		✔
Presidential Shake® TL	Lifetime*	10 yr	15/110***	30 yr					✔
Presidential Solaris®	Lifetime*	10 yr	15/110***	30 yr	✔				✔
Presidential TL Solaris®	Lifetime*	10 yr	15/110***	30 yr	✔				✔
XT™ 25	25 years	5 yr	5/60	10 yr					✔

1 **Streak***Fighter*® Algae Resistant Warranty period applies only to the Algae Resistant (AR) version of the pertinent shingle. For full details on the AR warranty, please refer to our Asphalt Shingle Residential Products Warranty.

* The Lifetime Warranty period is only available to individual property owners on premises used as their residence. The warranty period for Other Ownership for these shingles is limited to 50 years and the SureStart™ period is 10 years following the installation of the shingles.

** The Lifetime Warranty period is only available to individual property owners on premises used as their residence. The warranty period for Other Ownership for these shingles is limited to 40 years and the SureStart™ period is 5 years following the installation of the shingles.

*** 130 MPH Wind warranty upgrade available.


learn more at:
certainteed.com/roofing

SAINT-GOBAIN

CertainTeed
CEILINGS • GYPSUM • INSULATION • ROOFING • SIDING • TRIM
20 Moores Road, Malvern, PA 19355 Professional: 800-233-8990 Consumer: 800-782-8777 certainteed.com

©2023 CertainTeed. Printed in the USA. Code No. 90-54-728-NA-0K

Architectural Shingle Fact Sheet



Malarkey Roofing Products®

SUSTAINABLE PERFORMANCE®

Sustainably Designed, High Performance Roofing Shingles

Rubberized Asphalt Technology, Upcycled Tires & Plastics, Pollution-Reducing Granules

NEX® RUBBERIZED ASPHALT — Asphalt core of shingle is rubberized with virgin synthetic rubber polymers (SBS) to enhance shingle strength, flexibility, and aging resistance. **Up to Class 4 impact rating (highest rating possible).** *Insurance discounts may apply.*

UPCYCLED RUBBER & PLASTIC — Polymers from recycled rubber and plastic improve shingle durability and aging resistance, while **diverting the equivalent of ~5 rubber tires and ~3,200 plastic bags from the landfill per roof.**[1]

RFID TAG *(1 per 3-4 bundles)* — Aids shingle identification, quality improvement, and lifecycle analysis.

MORE ADHESIVE BONDS — Synthetic rubber adhesive (SEBS) resists dry-out and delivers extreme seal-down strength against high winds, wind-driven rain, and delamination. **Up to 50% more laminate bonds and 2X the rain seals of standard shingles.**

3M™ SMOG-REDUCING GRANULES — Clean the air of emission pollutants. **Each roof has the smog-fighting potential of ~2 trees.**[2]

THE ZONE® LARGER NAILING AREA — **Up to 2X larger nailing area**, with longer and tapered shingle backing, dramatically improves installation accuracy, helps ensure nails secure BOTH shingle layers to help prevent blowoffs and delamination, and reduces the risk of leaks from troughing. **Up to 130 MPH wind warranty.**

FIBERGLASS MAT — Provides structural reinforcement, and combined with polymer modified asphalt, **up to 35% greater tear strength than the industry standard (ASTM D3462).**


ROOFING GRANULES — Deeply embedded, ceramic-coated granules protect shingle from weather and UV aging. **Up to 65% greater granule adhesion than the industry standard (ASTM D3462).**

3M™ COPPER GRANULES — Reduce black streaks caused by blue-green algae. **Up to a Limited Lifetime Algae Warranty.**[3]

Malarkey Industry Firsts

Architectural Shingle Lines Comparison Chart	GOOD	BETTER	BEST
	Highlander® AR	Vista® AR	Legacy® Scotchgard™ Protector
Rubberized Asphalt Technology	NEX®	NEX®	NEX®
Impact Rating (Class 4 highest)	Class 3	Class 4	Class 4
Fire Rating (Class A highest)	Class A	Class A	Class A
Tear Strength*	+10%	+25%	+35%
Granule Adhesion*	+65%	+65%	+65%
Thickness		+10%	+19%
Sustainability (assumes roof of 30 squares)			
-Upcycled Tires	4	5	6
-Upcycled Plastic Bags	2,900	3,200	4,000
-"Planted" Trees[4]	2	2	2
Warranties[5]:			
Shingle Warranty	Limited Lifetime	Limited Lifetime	Limited Lifetime
Non-Prorated Period (years)	10	15	20
Algae Warranty (years)[3]	15	25	Limited Lifetime**
Standard Wind Warranty (mph / kph / years)	110 / 177 / 15	110 / 177 / 15	110 / 177 / 15
Enhanced Wind Warranty (mph / kph / years)	130 / 209 / 15	130 / 209 / 15	130 / 209 / 15

*Versus standard shingles, as measured per ASTM D3462. **Included on shingles with Scotchgard™ Protector from 3M.



Malarkey Roofing Products®

STANDARD SHINGLES - *BRITTLE* IMPACT RESISTANCE

Standard shingles are made of hard, brittle, oxidized asphalt, more likely to fracture, tear, and lose granules from hail impact.

MALARKEY SHINGLES - *RUBBERIZED* IMPACT RESISTANCE

Malarkey shingles are made with our patented NEX® polymer modified (rubberized) asphalt, more rubberlike to better grip granules and better absorb and deflect hail impact without damage.

STANDARD SHINGLES 'LARGER' NAILING AREA

Standard shingles tend to have a smaller nailing area that's hard to hit, or a **'false' larger nailing area with wider nailing lines on the top of the shingle, but a short backing shim, so nails that hit high *within* the lines still fail to secure the back shingle layer.**

MALARKEY SHINGLES LARGER NAILING AREA

Wider nailing lines create a bigger nailing target, while a longer backing shim, helps ensure nails also secure the bottom shingle layer – critical to helping prevent uplift and blow-offs.

Matching colors available in high-profile EZ-Ridge® XT as well as standard low-profile RidgeFlex® hip and ridge shingles.

Distributed from Oklahoma City, OK [color availability]: [H] Highlander® AR [V] Vista® AR
Scotchgard™ Protector Lines include: [L] Legacy® Scotchgard™ Protector

[1] Assumes roof of 30 squares using Vista® shingles.
[2] Assumes roof of 30 squares. Source: Lawrence Berkeley National Laboratory and 3M.
[3] Warranty coverage is limited solely to blue-green algae (Gloeocapsa magma). No other algae or biological growths are covered.

TEST COMPLIANCE: All Shingles – ASTM D7158 Class H, ASTM D3462, ASTM D3161 Class F, ASTM D3018 Type I, ASTM E108 Class A Fire Rating, CSA A123.5, ICC Approval – ESR-3150, and ICC-ES AC438. FBC Approval #14809 [Legacy® and Vista® lines] and FBC Approval – FL36890 [Highlander® line]. UL 2218 Class 4 [Legacy® and Vista® lines] and UL 2218 Class 3 [Highlander® line].

DISCLAIMER: Photographs of shingles may not accurately represent their true color or the variations of color blends that will appear on the roof. **Before installation, five or six shingles should be laid out and reviewed for desired color.** Colors and specifications subject to change without notice. Shingle colors not available in all regions or product lines. Scotchgard is a trademark of 3M.
[4] For complete warranty information, please reference **Malarkey's Shingle and Accessory Warranty available at www.malarkeyroofing.com/warranties.**


www.malarkeyroofing.com
This version supersedes all previous versions. Rev. 02/25

MEETS CSA A123.5 STANDARDS
MADE IN USA

AMRIZE
Malarkey is part of the Amrize family of brands.


Highlander AR





Vista AR


Malarkey Roofing Products
VISTA® AR
QUICK SPECS
Impact Rating Class 4
Shingle Warranty* Limited Lifetime
Non-Prorated Period 15 Years
Algae Warranty† 25 Years
Limited Wind Warranty 110 MPH
Enhanced Wind Warranty 130 MPH
Shown in Brilliant Black
Vista® AR
Architectural Shingles – Aging, Algae, and Impact Resistant
Vista® AR (algae resistant) shingles are made with our patented NEX® Polymer Modified (SBS Rubberized) Asphalt, an innovative technology that infuses rubber and plastic polymers to strengthen the asphalt core of the shingle for superior impact resistance, granule adhesion, all-weather resilience, and aging longevity.
Vista® AR shingles are also sustainable. Upcycled polymers from used tires and plastic bags improve durability and aging resistance, while helping reduce landfill waste. And smog-reducing granules help clean the air of emission pollutants, like planting trees on your roof.
Sustainability without sacrificing performance.
BEST IN CLASS
Malarkey's Vista® AR shingles are Best In Class – made with the industry's leading technology (NEX® SBS rubberized asphalt), highest impact rating (Class 4), strongest sustainability (aging longevity, upcycled rubber & plastic, smog-reducing granules), and superior warranty protection for peace of mind.
Sustainable Performance®
Superior Performance & Better for the Environment
CRAFTSMANSHIP
Up to 2X Larger Nailing Area
Up to 50% More Adhesive Bonds
2X Rain Seals
PERFORMANCE
Up to 25% Greater Tear Strength
Up to 65% Greater Granule Adhesion
Class 4 Impact Rating
SUSTAINABILITY
(PER ROOF)
Upcycles ~5 Rubber Tires
Upcycles ~3,200 Plastic Bags
Cleans Smog Pollution like ~2 Trees


Color Options
See shingle colors on a roof, or your roof, at www.malarkeyroofing.com/roof-designer.
Malarkey Roofing Products
BRILLIANT BLACK
BLACK OAK
STORM GREY
NATURAL WOOD
WEATHERED WOOD PLUS
HEATHER
ANTIQUE BROWN
SIENNA BLEND
SILVERWOOD
Note: Matching colors available in high-profile EZ-Ridge® XT as well as standard low-profile RidgeFlex® hip and ridge shingles.
Performance Engineered, Sustainably Designed
NEX® RUBBERIZED ASPHALT
Asphalt core of shingle is rubberized with virgin synthetic rubber polymers (SBS) to enhance shingle strength, flexibility, and aging resistance. Class 4 impact rating (highest rating possible). Insurance discounts may apply.
UPCYCLED RUBBER & PLASTIC
Polymers from recycled rubber and plastic improve shingle durability and aging resistance, while diverting the equivalent of ~5 rubber tires and ~3,200 plastic bags from the landfill per roof.
RFID TAG (1 per 3-4 bundles)
Aides shingle identification, quality improvement, and lifecycle analysis.
ADHESIVE BONDS
Synthetic rubber adhesive (SEBS) resists dry-out and delivers extreme seal-down strength against high winds, wind-driven rain, and delamination. Up to 50% more laminate bonds and 2X the rain seals of standard shingles.
STANDARD NAILING AREA
1-5/16"
2 RAIN SEALS
3 LAMINATE BONDS
WIND SEAL
3M™ SMOG-REDUCING GRANULES
Clean the air of emission pollutants. Each roof has the smog-fighting potential of ~2 trees.
THE ZONE® LARGER NAILING AREA
Up to 2X larger nailing area, with longer and tapered shingle backing, dramatically improves installation accuracy, helps ensure nails secure BOTH shingle layers to help prevent blowoffs and delamination, and reduces the risk of leaks from troughing. Up to 130 MPH wind warranty.
FIBERGLASS MAT
Provides structural reinforcement, and combined with polymer modified asphalt, up to 25% greater tear strength than the industry standard (ASTM D3462).
ROOFING GRANULES
Deeply embedded, ceramic-coated granules protect shingle from weather and UV aging. Up to 65% greater granule adhesion than the industry standard (ASTM D3462).
3M™ COPPER GRANULES
Reduce black streaks caused by blue-green algae. 25-year algae warranty.
Malarkey Industry Firsts
NEX
Improving Our Climate 3M™ Smog-Reducing Granules
MADE IN USA
MEETS CSA A123.5 STANDARDS
Disclaimer: Photographs of shingles may not accurately represent their true color or the variations of color blends that will appear on the roof. Before installation, five or six shingles should be laid out and reviewed for desired color. Colors and specifications subject to change without notice. Shingle colors not available in all regions.
For complete warranty information, please reference Malarkey's Shingle and Accessory Warranty available at www.malarkeyroofing.com/warranties
This version supersedes all previous versions. Rev. 02/26
www.malarkeyroofing.com
800-545-1181
AMRIZE
Malarkey is part of the Amrize family of brands

Legacy Scotchgard Protector



Malarkey Roofing Products

LEGACY® SCOTCHGARD™ PROTECTOR

QUICK SPECS

Impact Rating	Class 4
Shingle Warranty*	Limited Lifetime
Non-Prorated Period	20 Years
Algae Warranty**	Limited Lifetime
Limited Wind Warranty	110 MPH
Enhanced Wind Warranty	130 MPH

Shown in Natural Wood

Legacy® Scotchgard™ Protector

Architectural Shingles – Aging, Algae, and Impact Resistant

Legacy® Scotchgard™ Protector shingles are made with our patented **NEX® Polymer Modified (SBS Rubberized) Asphalt**, an innovative technology that infuses rubber and plastic polymers to strengthen the asphalt core of the shingle for superior impact resistance, granule adhesion, all-weather resilience, and aging longevity.

Legacy® Scotchgard™ Protector shingles are also sustainable. Upcycled polymers from used tires and plastic bags improve durability and aging resistance, while helping reduce landfill waste. And smog-reducing granules help clean the air of emission pollutants, like planting trees on your roof.

Sustainability without sacrificing performance.

BEST IN CLASS


Malarkey's Legacy® Scotchgard™ Protector shingles are *Best In Class* – made with the **industry's leading technology** [NEX® SBS rubberized asphalt], **highest impact rating** [Class 4], **strongest sustainability** [aging longevity, upcycled rubber & plastic, smog-reducing granules], and **superior warranty protection** for peace of mind.

Sustainable Performance®
Superior Performance & Better for the Environment

CRAFTSMANSHIP
Up to 2X Larger Nailing Area
Up to 50% More Adhesive Bonds
2X Rain Seals

PERFORMANCE
Up to 35% Greater Tear Strength
Up to 65% Greater Granule Adhesion
Class 4 Impact Rating

SUSTAINABILITY
[PER ROOF]
Upcycles ~6 Rubber Tires
Upcycles ~4,000 Plastic Bags
Cleans Smog Pollution like ~2 Trees



Malarkey Roofing Products

Color Options

See shingle colors on a roof, or your roof, at **www.malarkeyroofing.com/roof-designer.**

BRILLIANT BLACK | BLACK OAK | STORM GREY | NATURAL WOOD | WEATHERED WOOD PLUS

HEATHER | ANTIQUE BROWN | SIENNA BLEND | SILVERWOOD

Note: Matching colors available in high-profile EZ-Ridge® XT as well as standard low-profile RidgeFlex® hip and ridge shingles.

Performance Engineered, Sustainably Designed

NEX® RUBBERIZED ASPHALT Asphalt core of shingle is rubberized with virgin synthetic rubber polymers (SBS) to enhance shingle strength, flexibility, and aging resistance. **Class 4 impact rating (highest rating possible).** Insurance discounts may apply.

UPCYCLED RUBBER & PLASTIC Polymers from recycled rubber and plastic improve shingle durability and aging resistance, while **diverting the equivalent of ~6 rubber tires and ~4,000 plastic bags from the landfill per roof.**[3]

RFID TAG (1 per 3–4 bundles) Aides shingle identification, quality improvement, and lifecycle analysis.

ADHESIVE BONDS Synthetic rubber adhesive (SEBS) resists dry-out and delivers extreme seal-down strength against high winds, wind-driven rain, and delamination. **Up to 50% more laminate bonds and 2X the rain seals of standard shingles.**

THE ZONE® LARGER NAILING AREA **Up to 2X larger nailing area**, with longer and tapered shingle backing, dramatically improves installation accuracy, helps ensure nails secure BOTH shingle layers to help prevent blowoffs and delamination, and reduces the risk of leaks from troughing. **Up to 130 MPH wind warranty.**

FIBERGLASS MAT Provides structural reinforcement, and combined with polymer modified asphalt, **up to 35% greater tear strength than the industry standard (ASTM D3462).**

ROOFING GRANULES Deeply embedded, ceramic-coated granules protect shingle from weather and UV aging. **Up to 65% greater granule adhesion than the industry standard (ASTM D3462).**

3M™ SMOG-REDUCING GRANULES Clean the air of emission pollutants. **Each roof has the smog-fighting potential of ~2 trees.**[3]

3M™ COPPER GRANULES Reduce black streaks caused by blue-green algae. **Limited Lifetime algae warranty.**[2]

Malarkey Industry Firsts

NEX® | Improving Our Climate 3M™ Smog-Reducing Granules | Scotchgard™ | MADE IN USA | MEETS CSA A123.5 STANDARDS

1. Assumes roof of 30 squares.
2. Assumes roof of 30 squares. Source: Lawrence Berkeley National Laboratory and 3M.
3. Warranty coverage is limited solely to blue-green algae (Gloeocapsa magma). No other algae or biological growths are covered.

Test Compliance – ASTM D7158 Class H, ASTM D3462, ASTM D3161 Class F, ASTM D3018 Type I, ASTM E108 Class A Fire Rating, UL 2218 Class 4, CSA A123.5, ICC Approval – ESR-3150, ICC-ES AC438, and FBC Approval – #14809.

Disclaimer: Photographs of shingles may not accurately represent their true color or the variations of color blends that will appear on the roof. **Before installation, five or six shingles should be laid out and reviewed for desired color.** Colors and specifications subject to change without notice. Shingle colors not available in all regions. Scotchgard and Scotchgard Protector, including the 3M logo, are all trademarks of 3M.

• For complete warranty information, please reference Malarkey's **Shingle and Accessory Warranty available at www.malarkeyroofing.com/warranties**


This version supersedes all previous versions. Rev. 02/26
www.malarkeyroofing.com
800-545-1181

AMRIZE

Malarkey is part of the Amrize family of brands

PRODUCT LITERATURE · MALARKEY

Arctic Seal Ice & Water Barrier



The Ultimate Pipe Flashing





LeafBlaster PRO Gutter Guards

